










LL15.70

CAPACITY 230 KG


(2 persons 80x2=160 kg + tool box 70 kg)



-  15,40 m
-  6,60 m
-  4,02 m
-  3,40 m
-  1,99 m

-  1.335 x 690 x h. 1.100 mm
-  124° (+/-62°)
-  16° / 28,7%
-  748 - 1.100 mm
-  1.670 daN - 2,36 daN/cm²

-  2.800 x 2.800 mm
-  Automatic set up system III S std.
-  Remote control
-  GPRS-GPS
-  R.A.H.M.

 Lithium-ion battery pack
3,6 kWh
Optional



PETROL ENGINE

Brand.....HONDA
 TypeGX390
 Pistons no. and displacement.....
 single-cylinder 389 cm³
 Max gross power
 11,7HP - 8,7 kW @ 3600 rpm (GX390)
 Electrical start..... 12 volt

DIESEL ENGINE

Brand..... HATZ
 Type 1B40 - HD Autorev
 Pistons no. and displacement.....
 single-cylinder 462 cm³
 Max gross power
 10 HP - 7,5 kW @ 3600 rpm
 Electrical start..... 12 volt

LITHIUM-ION SYSTEM

Lithium-ion powered 3,6 kWh
 Onboard battery charger
 220V 50Hz or 110V 50Hz
 Autonomy..... 4-5 h
 Recharge time on flat batteries
4 h (indicative)
 Recharge time to 80% on flat batteries.
 2 h (indicative)

HYDRAULIC PUMPS

Electric motor no. 2 gear pumps

TRACKED UNDERCARRIAGE

Track tensioner grease-filled
 Rollers no. per side 3 + slide

Translation speed with 2nd auto2speed:

- thermal engine 1,4 - 2,6 km/h
 - lithium system..... 0,4 - 0,8 - 1,6 km/h

WEIGHT MACHINE petrol engine..... 1940 kg
 WEIGHT MACHINE diesel engine..... 1960 kg
 WEIGHT MACHINE lithium system 1992 kg

MAX WIND SPEED 12,5 m/s